


SPOUTPRO FC-2



 **KARLVILLE**

Pouch filling machine: SPOUT PRO-FC-2. Automatic pouch filling through the spout and capping machine.

Machine Specifications

Description	Spec
Product	All kind of liquids, food and non-food
Filling Range	0,1 to 3L
Number of Filling Heads	2
Speed	Max 70 ppm
Types of pouches	Stand-Up, Two and Three Side Seal, and Side Gusset
Spout Position	Top Center & Corner
Dimension of Pouches	Width: 80-320mm. Length: 120-350mm

To learn more about our products visit: www.karlvilleville.com

US: +1-305-533-1051 | Europe: +33-472-81-2929

Advantages of filling through the spout

- Highly reliable process
- Clean process without spilling and spraying
- Quick changeover to another pouch size
- Easy handling of shaped pouches
- Filling with high pressure
- No air evacuation necessary
- Airless filling
- High fill level, so less Material
- Simple machinery



Features

- Hygienic Stainless Steel
- Clean in Place
- Safe Process
- High Performance
- Ideal for foaming products

Products

Food

- Beverages
- Yogurt
- Soups
- Sauces
- Puree
- Smoothie




Non-Food


- Soaps, detergents, cleaners
- Home Care
- Personal Care
- Cosmetics

Filling through the Spout


These FC-Type Machines fill through the already applied spout. This makes the process of filling more secure and leads to a high output of filled pouches.



In order to fill thru the spout a technical guide is needed in fitment customer will select for this process filling.



Filling through the spout (FTS) is the safest and most efficient method, allowing as little as 15mm head space below the spout.



Layout

